PRESCRIBING INFORMATION

SULFACET-R®

(Sulfacetamide Sodium—Sulfur)

Acne Therapy

Valeant Canada LP 4787 Levy St. Montreal, QC H4R 2P9

Submission Control No.: 153350

Date of Revision: February 13, 2012

Indications

Severe acne vulgaris, seborrheic dermatitis, bacterial folliculitis and related conditions.

Contraindications

Hypersensitivity to the sulfonamides as indicated by a previous toxic reaction to them (e.g. agranulocytosis, acute hemolytic anemia, purpura hemorrhagica, drug fever, jaundice, or contact dermatitis).

Precautions

Sulfur may cause reddening and scaling of the epidermis, but if undue skin irritation develops or increases, discontinue use and consult a physician. Keep away from eyes.

Dosage

For external use only. Keep away from eyes. Shake lotion well. Apply a small quantity with fingertips 2 or 3 times daily.

Supplied

Each mL of lotion contains: Sodium sulfacetamide 10% w/v, colloidal sulfur 5% w/v. Nonmedicinal ingredients: 2-bromo-2-nitropropane-1,3-diol (Bronopol), attapulgite, butylparaben, diethanolamine, hydroxyethyl cellulose, iron oxides, lauric myristic, methylparaben, naphthalene sulfonic acid, polyethylene glycol monolaurate, precipitated sulfur, propylene glycol, purified water, silicone emulsion, sodium chloride, sodium metabisulfite, talc, xanthan gum and zinc oxide. Bottles of 25 g.