

PRESCRIBING INFORMATION

ODAN-VERNACON

Pheniramine maleate and phenylephrine hydrochloride ophthalmic solution

ANTI-HISTAMINE/DECONGESTANT

ODAN LABORATORIES LTD.
325 Stillview Ave.,
Pointe-Claire, Québec H9R 2Y6

Date of Preparation:
October 14, 2015

Control No: 188058


www.odanlab.com

PRESCRIBING INFORMATION

ODAN-VERNACON

Pheniramine maleate and phenylephrine hydrochloride ophthalmic Solution

THERAPEUTIC CLASSIFICATION

Sympathomimetic used as decongestants

CLINICAL PHARMACOLOGY

Application of ODAN-VERNACON (Pheniramine maleate and phenylephrine hydrochloride) to the eye produces the decongestant and mydriatic effects of the vasoconstrictor, phenylephrine hydrochloride and the anti-allergenic effects of the antihistamine, pheniramine.

INDICATIONS

ODAN-VERNACON provides prompt, effective relief from ophthalmic symptoms such as tearing, itching, redness and swelling in hay fever and other allergies.

CONTRAINDICATIONS

This preparation is contraindicated in persons sensitive to any of its components.

WARNINGS

For topical ophthalmic use only.

PRECAUTIONS

Caution should be observed if glaucoma is suspected and in hypertensive or diabetic patients. If signs of sensitivity develop, during treatment or if irritation persists or increases the patient should be advised to discontinue use and consult physician.

DOSAGE AND ADMINISTRATION

One or two drops instilled into eye(s) every 3 to 4 hours.

AVAILABILITY

Each mL of sterile ophthalmic solution contains: Pheniramine maleate 0.5%, phenylephrine hydrochloride 0.125%, and the following non-medicinal ingredients: Polyvinyl alcohol 1.4%, sodium phosphate (monobasic), sodium phosphate (dibasic), sodium chloride in purified water and benzalkonium chloride 0.0067% as a preservative agent. Supplied as a sterile solution in 15 mL plastic dropper bottles.

STORAGE

Store between 15 °C and 30 °C.