

Revalor®-S inner label

Veterinary Use Only/ Usage vétérinaire seulement

Revalor® -S **DIN: 02078589**

trenbolone acetate/acétate de trenbolone 120 mg

estradiol 24 mg

10 implants

Intervet Canada Corp. Kirkland, QC H9H 4M7

1 888 306-0069

LOT:

EXP:

Revalor[®]-S outer label
Top panel

Revalor[®]-S
Veterinary Use Only
Usage vétérinaire seulement

LOT:
EXP:

Intervet logo

Main panel English

DIN: 02078589
Revalor[®]-S
Trenbolone acetate 120 mg / estradiol 24 mg
Veterinary Use Only
FOR FEEDLOT STEERS (250-450 kg)

NET CONTENTS: Box of 10 cartridges x 10 implants (100 implants)

WARNINGS

Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. Keep out of reach of children.

Side panel English

INDICATIONS

This product contains trenbolone acetate and estradiol in a slow release delivery system and is indicated to increase rate of weight gain and improve feed efficiency in feedlot steers weighing 250-450 kg.

DESCRIPTION

Contains 100 doses in ten cartridges with ten implants per cartridge. Each implant consists of 6 small yellow pellets. Each pellet contains:

ACTIVE INGREDIENTS: 20 mg trenbolone acetate and 4 mg estradiol for a total dose per implant of 120 mg trenbolone acetate and 24 mg estradiol.

NON-MEDICINAL INGREDIENTS: 6.25 mg cholesterol, 0.5 mg magnesium stearate, 1.25 mg ethyl cellulose N200.

DOSAGE AND ADMINISTRATION

See package insert for complete directions for use.

STORAGE

Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

CAUTIONS

Do not use in animals intended for subsequent breeding. For use in feedlot steers only.

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Registered trademark of Intervet International B.V. Used under license.

Main panel French

DIN: 02078589

Revalor[®]-S

120 mg d'acétate de trenbolone et 24 mg d'estradiol

Usage vétérinaire seulement

POUR BOUVILLONS EN PARC D'ENGRAISSEMENT (250-450 kg)

CONTENU NET: Boîte de 10 cartouches x 10 implants (100 implants)

MISES EN GARDE

Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Garder hors de la portée des enfants.

Side panel French

INDICATIONS

Ce produit, dans une formulation à libération lente, contient de l'acétate de trenbolone et de l'estradiol et est indiqué pour améliorer le gain de poids et l'efficacité alimentaire des bouvillons en parc d'engraissement pesant de 250 à 450 kg.

DESCRIPTION

Contient 100 doses dans 10 cartouches de 10 implants par cartouche. Chaque implant est composé de 6 petites pastilles jaunes. Chaque pastille renferme:

INGRÉDIENTS ACTIFS: 20 mg d'acétate de trenbolone et 4 mg d'estradiol pour une dose totale par implant de 120 mg d'acétate de trenbolone et 24 mg d'estradiol.

INGRÉDIENTS NON-MÉDICINAUX: 6,25 mg cholestérol, 0,5 mg stéarate de magnésium, 1,25 mg éthylcellulose N200.

POSOLOGIE ET ADMINISTRATION

Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE

Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

PRÉCAUTIONS

Ne pas utiliser chez les animaux destinés à la reproduction. Pour bouvillons en parc d'engraissement seulement.

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Marque déposée d'Intervet International B.V., utilisée sous licence

[Revalor®-S SHIPER LABEL

Revalor®- S

DIN: 02078589

Trenbolone acetate 120 mg / estradiol 24 mg
120 mg d'acétate de trenbolone et 24 mg d'estradiol
Veterinary Use Only / Usage vétérinaire seulement

FOR FEEDLOT STEERS (250-450 kg)
POUR BOUVILLONS EN PARC D'ENGRASSEMENT (250-450 kg)

Left panel English

This product contains trenbolone acetate and estradiol in a slow release delivery system and is indicated to increase rate of weight gain and improve feed efficiency in feedlot steers weighing 250-450 kg.

HOW SUPPLIED: Box of 4 x 1000 implants.

WARNINGS: Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. Keep out of reach of children.

DOSAGE AND ADMINISTRATION: See package insert for complete directions for use.

STORAGE: Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

Right panel, French

Ce produit, dans une formulation à libération lente, contient de l'acétate de trenbolone et de l'estradiol et est indiqué pour améliorer le gain de poids et l'efficacité alimentaire des bouvillons en parc d'engraissement pesant de 250 à 450 kg.

PRÉSENTATION: Emballage de 4 x 1000 implants

MISES EN GARDE: Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Gardez hors de la portée des enfants.

POSOLOGIE ET ADMINISTRATION: Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE: Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

Version 9 September 2011

Far right panel
Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Registered trademark of/ Marque déposée de
Intervet International B.V., Used under license/ utilisée sous
licence.

LOT:
EXP:

Revalor®-S shiper label

Revalor®-S

DIN: 02078589

Trenbolone acetate 120 mg / estradiol 24 mg
120 mg d'acétate de trenbolone et 24 mg d'estradiol
Veterinary Use Only / Usage vétérinaire seulement

FOR FEEDLOT STEERS (250-450 kg)
POUR BOUVILLONS EN PARC D'ENGRASSEMENT (250-450 kg)

Left panel, English

This product contains trenbolone acetate and estradiol in a slow release delivery system and is indicated to increase rate of weight gain and improve feed efficiency in feedlot steers weighing 250–450 kg.

HOW SUPPLIED: Box of 10 x 100 implants.

WARNINGS: Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. Keep out of reach of children.

DOSAGE AND ADMINISTRATION: See package insert for complete directions for use.

STORAGE: Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

Right panel, French

Ce produit, dans une formulation à libération lente, contient de l'acétate de trenbolone et de l'estradiol et est indiqué pour améliorer le gain de poids et l'efficacité alimentaire des bouvillons en parc d'engraissement pesant de 250 à 450 kg.

PRÉSENTATION: Emballage de 10 x 100 implants.

MISES EN GARDE: Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Garder hors de la portée des enfants.

POSOLOGIE ET ADMINISTRATION: Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE: Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

Version 9 September 2011



Far right panel
Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Registered trademark of/ Marque déposée de
Intervet International B.V., Used under license/ utilisée sous
licence.

LOT:

EXP:

Revalor®-S ENGLISH INSERT

DIN: 02078589

Revalor®-S

Trenbolone acetate 120 mg / estradiol 24 mg

Veterinary Use Only

FOR FEEDLOT STEERS (250–450 kg)

DESCRIPTION

Revalor®-S is an implant containing 120 mg of trenbolone acetate and 24 mg estradiol. Each implant consists of 6 small yellow pellets.

Each pellet contains:

Active ingredients: 20 mg trenbolone acetate, 4 mg estradiol.

Non-medicinal ingredients: 6.25 mg cholesterol, 0.5 mg magnesium stearate, 1.25 mg ethyl cellulose N200.

THERAPEUTIC CLASSIFICATION

Growth promotant.

INDICATIONS

This product contains trenbolone acetate and estradiol in a slow release delivery system and is indicated to increase rate of weight gain and improve feed efficiency in feedlot steers weighing 250 – 450 kg.

DOSAGE AND ADMINISTRATION

Dosage form:

One implant containing 120 mg trenbolone acetate and 24 mg estradiol is administered to each animal. The 6 pellets which make up the dosage of Revalor®-S are contained in one division of the multiple dose cartridge. Ten doses are in each cartridge. The cartridge is designed to be used with the Revalor® implant gun.

Administration:

a) site of administration

The implant is placed under the skin on the posterior aspect of the ear by means of the Revalor® implanter available from Intervet Canada Corp. After properly restraining the animal to allow

access to the ear, cleanse the skin at the implant needle puncture site. Improperly cleansed skin may result in abscess formation and the subsequent loss of the implant. The implant is placed subcutaneously between the skin and the cartilage on the back, middle third of the ear below the midline (see Figure 1). The implant must not be placed closer to the head than the outer edge of the cartilage ring. The location of needle insertion is at a point corresponding to the center of the ear with the needle directed towards the head, and at least a needle length away from the intended deposition site (see Figure 2). Care should be taken to avoid injuring the major blood vessels or cartilage of the ear.




Figure 1
Ear of bovine ready for implantation.




Figure 2
Rear view of the bovine ear showing the site for insertion of the implanter needle.

b) method of administration

1. Do not remove the cap (C) of the cartridge containing the implants.
2. Place the cartridge (D) (with the capped end to the front) into slot at the top of the implanter magazine (labelled A on the diagram).
3. Gently push the cartridge into the slot until it clicks into place.
4. The implanter is now ready for use.
5. Take the ear of the animal firmly with the free hand (in the manner shown in Figure 1) and insert

the needle into the subcutaneous tissue at the point indicated (Figure 2). Press the trigger (E on Figure 3).

6. The retraction bar will automatically withdraw the needle from the ear aiding in depositing the pellets of the implant in a single row.

7. The gun automatically advances the cartridge to the next implant.

8. When all the implants have been administered, the cartridge will fall out of the bottom of the magazine and may be replaced by a new one.

9. To change the needle, loosen the needle locking nut (labelled F in Figure 3) and replace the needle. Tighten the nut finger tight and the implanter is ready for use.




Figure 3
Diagram of the implanter and cartridge.

CAUTIONS

Not for use in animals intended for subsequent breeding. For use in feedlot steers only.

WARNINGS

Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. Keep out of reach of children.

STORAGE

Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

HOW SUPPLIED

Box of 10 cartridges x 10 implants (100 implants).

Version 9 September 2011

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo
® Registered trademark of Intervet International B.V.
Used under license.

September 9, 2011