

Revalor[®]-H English insert

DIN: 02231280

Revalor[®]-H

Trenbolone acetate 140 mg / estradiol 14 mg

Veterinary Use Only

FOR FEEDLOT HEIFERS (300-450 kg)

DESCRIPTION

Revalor[®]-H is an implant containing 140 mg of trenbolone acetate and 14 mg estradiol. Each implant consists of 7 small yellow pellets.

Each pellet contains:

Active ingredients: 20 mg trenbolone acetate, 2 mg estradiol.

Non-medicinal ingredients: 4.25 mg cholesterol, 0.5 mg magnesium stearate, 0.25 mg ethyl cellulose N200.

THERAPEUTIC CLASSIFICATION

Growth promotant.

INDICATIONS

To increase rate of weight gain and improve feed efficiency in feedlot heifers weighing 300 – 450 kg.

DOSAGE AND ADMINISTRATION

Dosage form:

One implant containing 140 mg trenbolone acetate and 14 mg estradiol is administered to each animal. The 7 pellets which make up the dosage of Revalor[®]-H are contained in one division of the multiple dose cartridge. Ten doses are in each cartridge. The cartridge is designed to be used with the Revalor[®] implant gun.

Administration:

a) site of administration

The implant is placed under the skin on the posterior aspect of the ear by means of the Revalor[®] implanter available from Intervet Canada Corp. After properly restraining the animal to allow access to the ear, cleanse the skin at the implant needle puncture site. Improperly cleansed skin may result in abscess formation and

the subsequent loss of the implant. The implant is placed subcutaneously between the skin and the cartilage on the back, middle third of the ear below the midline (see Figure 1). The implant must not be placed closer to the head than the outer edge of the cartilage ring. The location of needle insertion is at a point corresponding to the center of the ear with the needle directed towards the head, and at least a needle length away from the intended deposition site (see Figure 2). Care should be taken to avoid injuring the major blood vessels or cartilage of the ear.




Figure 1
Ear of bovine ready for implantation.




Figure 2
Rear view of the bovine ear showing the site for insertion of the implanter needle.

b) method of administration

1. Do not remove the cap (C) of the cartridge containing the implants.
2. Place the cartridge (D) (with the capped end to the front) into slot at the top of the implanter magazine (labelled A on the diagram).
3. Gently push the cartridge into the slot until it clicks into place.
4. The implanter is now ready for use.
5. Take the ear of the animal firmly with the free hand (in the manner shown in Figure 1) and insert the needle into the subcutaneous tissue at the point indicated (Figure 2). Press the trigger (E on Figure 3).

6. The retraction bar will automatically withdraw the needle from the ear aiding in depositing the pellets of the implant in a single row.
7. The gun automatically advances the cartridge to the next implant.
8. When all the implants have been administered, the cartridge will fall out of the bottom of the magazine and may be replaced by a new one.
9. To change the needle, loosen the needle locking nut (labelled F in Figure 3) and replace the needle. Tighten the nut finger tight and the implanter is ready for use.




Figure 3
Diagram of the implanter and cartridge.

CAUTIONS

For use in feedlot heifers only. Not for use in young calves (less than 300 kg body weight), spayed heifers, steers, or in heifers intended for subsequent breeding.

WARNINGS

Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. This product must not be used in lactating cows. Keep out of reach of children.

STORAGE

Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

HOW SUPPLIED

Version Sept 9, 2011

Box of 10 cartridges x 10 implants (100 implants).

Intervet Canada Corp.
Kirkland, QC H9H 4M7
16750, route Transcanadienne
1 888 306-0069

Intervet logo
® Registered trademark of Intervet International B.V.
Used under license.

September 9, 2011

Version September 9, 2011

Revalor®-H inner label

Veterinary Use Only/ Usage vétérinaire seulement

Revalor® - H **DIN: 02231280**

trenbolone acetate/ acétate de trenbolone 140 mg
estradiol 14 mg

10 implants

Intervet Canada Corp. Kirkland, QC H9H 4M7

1 888 306-0069

LOT:

EXP:

Revalor[®]-H outer label 10x10

Top panel

Revalor[®]-H **Veterinary Use Only** **Usage vétérinaire seulement**

LOT:

EXP:

Intervet logo

Main panel English

DIN: 02231280

Revalor[®]-H

Trenbolone acetate 140 mg / estradiol 14 mg

Veterinary Use Only

FOR FEEDLOT HEIFERS (300-450 kg)

NET CONTENTS: Box of 10 cartridges x 10 implants (100 implants)

WARNINGS

Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food.

This product must not be used in lactating cows. Keep out of reach of children.

Side panel English

INDICATIONS:

To increase rate of weight gain and improve feed efficiency in feedlot heifers weighing 300 - 450 kg.

DESCRIPTION

Contains 100 doses in ten cartridges with ten implants per cartridge. Each implant consists of 7 small yellow pellets. Each pellet contains:

ACTIVE INGREDIENTS: 20 mg of trenbolone acetate and 2 mg estradiol for a total dose per implant of 140 mg trenbolone acetate and 14 mg estradiol.

NON-MEDICINAL INGREDIENTS: 4.25 mg cholesterol, 0.5 mg magnesium stearate, 0.25 mg ethyl cellulose N200.

DOSAGE AND ADMINISTRATION

See package insert for complete directions for use.

STORAGE

Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

CAUTIONS

For use in feedlot heifers only. Not for use in young calves (less than 300 kg body weight), spayed heifers, steers, or in heifers intended for subsequent breeding.

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Registered trademark of Intervet International B.V. Used under license.

Main panel French

DIN: 02231280

Revalor®-H

140 mg d'acétate de trenbolone et 14 mg d'estradiol

Usage vétérinaire seulement

POUR GÉNISSES EN PARC D'ENGRAISSEMENT (300 – 450 kg)

CONTENU NET: Boîte de 10 cartouches x 10 implants (100 implants)

MISES EN GARDE

Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Ne pas utiliser ce produit chez les vaches en lactation. Garder hors de la portée des enfants.

Side panel French

INDICATIONS

Pour améliorer le gain de poids et l'efficacité alimentaire des génisses en parc d'engraissement pesant de 300 - 450 kg.

DESCRIPTION

Contient 100 doses dans 10 cartouches de 10 implants par cartouche. Chaque implant est composé de 7 petites pastilles jaunes. Chaque pastille renferme:

INGRÉDIENTS ACTIFS: 20 mg d'acétate de trenbolone et 2 mg d'estradiol pour une dose totale par implant de 140 mg d'acétate de trenbolone et 14 mg d'estradiol.

INGRÉDIENTS NON-MÉDICINAUX: 4,25 mg cholestérol, 0,5 mg stéarate de magnésium, 0,25 mg éthylcellulose N200.

POSOLOGIE ET ADMINISTRATION

Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE

Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

PRÉCAUTIONS

Pour génisses en parc d'engraissement seulement. Ne pas utiliser sur de jeunes veaux (moins de 300 kg de poids corporel), génisses châtrées, bouvillons ou génisses destinées à la reproduction.

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Marque déposée d'Intervet International B.V., utilisée sous licence.

Revalor[®]-H shiper label 4 x 1000

Revalor[®]-H

DIN: 02231280

Trenbolone acetate 140 mg / estradiol 14 mg
140 mg d'acétate de trenbolone et 14 mg d'estradiol
Veterinary Use Only / Usage vétérinaire seulement

left panel, English

FOR FEEDLOT HEIFERS (300-450 kg)

To increase rate of weight gain and improve feed efficiency in feedlot heifers weighing 300–450 kg.

HOW SUPPLIED: Box of 4 x 1000 implants

WARNINGS: Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. This product must not be used in lactating cows.

Keep out of reach of children.

DOSAGE AND ADMINISTRATION: See package insert for complete directions for use.

STORAGE: Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

Right panel French

POUR GÉNISSES EN PARC D'ENGRAISSEMENT (300-450 kg)

Pour améliorer le gain de poids et l'efficacité alimentaire des génisses en parc d'engraissement pesant de 300-450 kg.

PRÉSENTATION: Emballage de 4 x 1000 implants.

MISES EN GARDE: Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Ne pas utiliser ce produit chez les vaches en lactation. Garder hors de la portée des enfants.

POSOLOGIE ET ADMINISTRATION: Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE: Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer

le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

Far right panel

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo
® Registered trademark of / Marque déposée de
Intervet International B.V. Used under license/utilisée sous licence

LOT:
EXP:

Revalor®-H shiper label 10x100

Revalor® - H

DIN: 02231280

Trenbolone acetate 140 mg / estradiol 14 mg
140 mg d'acétate de trenbolone et 14 mg d'estradiol
Veterinary Use Only / Usage vétérinaire seulement

left panel, English

FOR FEEDLOT HEIFERS (300-450 kg)

To increase rate of weight gain and improve feed efficiency in feedlot heifers weighing 300 – 450 kg.

HOW SUPPLIED: Box of 10 x 100 implants.

WARNINGS: Do not use in calves to be processed for veal. Implant pellets in the ear only. Do not attempt salvage of implant site for human or animal food. This product must not be used in lactating cows.

Keep out of reach of children.

DOSAGE AND ADMINISTRATION: See package insert for complete directions for use.

STORAGE: Store the unopened product below 25 °C. Do not freeze. Store the opened product under refrigeration (2-8 °C). Do not use the opened product after 6 months.

Right panel, French

POUR GÉNISSES EN PARC D'ENGRAISSEMENT (300-450 kg)

Pour améliorer le gain de poids et l'efficacité alimentaire des génisses en parc d'engraissement pesant de 300-450 kg.

PRÉSENTATION: Emballage de 10 x 100 implants.

MISES EN GARDE: Ne pas utiliser chez les veaux destinés à la production de viande de veau. Pour implantation dans l'oreille seulement. Ne pas récupérer le site d'implantation pour la consommation humaine ou animale. Ne pas utiliser ce produit chez les vaches en lactation. Garder hors de la portée des enfants.

POSOLOGIE ET ADMINISTRATION: Voir la notice pour le mode d'emploi complet.

ENTREPOSAGE: Entreposer le produit intact à une température inférieure à 25 °C. Ne pas congeler. Entreposer le produit ouvert au réfrigérateur (2-8 °C). Une fois ouvert, le produit doit être utilisé dans un délai de 6 mois.

Version 9 Sept 2011

Far right panel

Intervet Canada Corp.
16750, route Transcanadienne
Kirkland, QC H9H 4M7
1 888 306-0069

Intervet logo

® Registered trademark of / Marque déposée de
Intervet International B.V. Used under license/utilisée sous licence

LOT:

EXP: