






Time/Date: 30216900.pdf 1 2/26/14 9:52 AM

zoetis	Project No.		Artwork Number		Description		Country	
		12622	30216900			Excenel		Canada
	Dimensions			Drawing No.		SKU No.		Item
	3.687" x 1.312"			DWG-008496-00		1627013		Label
Additional Info:		Colors:  Black  PMS 185  PMS 116  Dieline  No Varnish					<input type="checkbox"/> <b>EDITOR'S COPY</b> GS:                      DATE:	
<b>Mgr</b>	J. Rustad	<b>Rev</b>	GA	PR	GS / ART REV (LCA)	CHANGES	GS / ART REV (FA)	CHANGES
<b>GS</b>	K. Minard	<b>2</b>				OK		OK
<b>GA</b>	S. Lewis					OK		OK

30217300

LOT/EXP.

1828-05-2

DIN 00813567

**EXCENEL**®/MD

**ceftiofur sodium powder for solution**  
**poudre de ceftiofur sodique pour solution**  
*Veterinary Use Only*  
*Usage vétérinaire seulement*  
**Sterile / Stérile**  
**broad-spectrum antibiotic**  
**antibiotique à large spectre**  
*for cattle, lactating dairy cattle, horses, swine,*  
*lambs and dogs / pour bovins, vaches laitières en*  
*lactation, chevaux, porcs, agneaux et chiens*

*Warnings: See package insert for complete information / Mises en garde: consulter la notice pour de plus amples renseignements*

**Net 4 g**

**zoetis**

**Ingénieur médicinal :** 50 mg de ceftiofur (sous forme de ceftiofur sodique) par mL de solution reconstituée.

**Agent de conservation :** Alcool benzylrique 9 mg par mL (dans le diluant stérile)

**Ingédients non-médicinaux :**  
 Eau stérile pour injection, 1 qs par mL  
 Phosphate de potassium monobasique, 1,388 mg par mL  
 Hydroxyde de sodium, 10% qs pour pH

**Mises en garde :** Les porcs et agneaux traités ne doivent pas être abattus à des fins alimentaires d'ans u n d éla i d' au m oins 2 4 h eures après le dernier traitement avec ce médicament. Un délai d'attente n'est pas requis pour les bovins quand les directives de l'étiquette sont suivies. Ne pas administrer aux veaux de lait ou de grain. Ce médicament ne doit pas être administré aux chevaux devant être abattus à des fins alimentaires. Les médicaments antimicrobiens, dont les pénicillines et les céphalosporines, peuvent causer une réaction allergique chez les personnes hypersensibilisées. Afin de minimiser les risques d'une telle réaction, les utilisateurs de produits antimicrobiens, ceftiofur compris, devraient en éviter le contact direct avec la peau et les muqueuses. Pour réduire le risque de développement de résistance aux antimicrobiens : • EXCENEL ne devrait pas être utilisé à des fins de traitement à grande échelle chez les bovins, les porcs ou toutes autres espèces. • EXCENEL devrait être utilisé uniquement pour le traitement individuel d'animaux selon les indications. • La décision de prescrire EXCENEL comme traitement de choix doit reposer sur une expérience clinique et appuyée, si possible, par une culture de l'agent pathogène ainsi que par un antibiogramme. • L'utilisation de ce médicament en dérogation des directives de l'étiquette n'est pas recommandée. **GARDER HORS DE LA PORTEE DES ENFANTS**

**Entreposage :** Entreposer le produit non-reconstitué entre 15 et 30 °C. Protéger de la lumière.

**Voir le dépliant pour le mode d'emploi complet, incluant la posologie et l'administration.**

**Medicinal Ingredient:** Cefotiofur (as cefotiofur sodium), 50 mg per mL of reconstituted solution.

**Preservative:** Benzyl Alcohol 9 mg per mL (in the sterile diluent)

**Non-medical ingredients:**  
 Sterile Water for injection, 1 qs per mL  
 Monobasic Potassium Phosphate, 1.388 mg per mL  
 Sodium hydroxide, 10% qs to pH

**Warnings:** Treated swine and lambs must not be slaughtered for use in food for at least 24 hours after the latest treatment with this drug. No meat withdrawal period or milk withholding time is required in cattle when treated according to the label. Do not use in calves to be processed for veal. This drug is not to be administered to horses that are to be slaughtered for use in food. Antimicrobial drugs, including penicillins and cephalosporins can cause allergic reactions in sensitized individuals. To minimize the possibility of such a reaction, users of such antimicrobial products, including ceftiofur, are advised to avoid direct contact of the product with the skin and mucous membranes. To limit the development of antimicrobial resistance: • EXCENEL should not be used as a mass medication for cattle, swine or any other species. • EXCENEL should only be used to treat individual animals as per the indications. • The choice of EXCENEL as the most appropriate treatment should be confirmed by clinical experience supported where possible by pathogen culture and drug susceptibility testing. • The extra-label drug use of EXCENEL is not recommended. **KEEP OUT OF REACH OF CHILDREN.**

**Storage:** Store unconstituted product between 15 and 30°C. Protect from light.

**See insert for complete directions for use, including dosage and administration.**  
 Zoetis Canada Inc.  
 Kirkland QC H9H 4M7

version: 04/09/2018

Time/Date: 30217300.pdf 1 2/26/14 9:58 AM

zoetis		Project No.		Artwork Number		Description		Country			
		12622		30217300		Excenel		Canada			
Additional Info:		Dimensions				Drawing No.		SKU No.		Item	
		6.125" x 2"				DWG-008489-00		1628013		Label	
		Colors:							<input type="checkbox"/> <b>EDITOR'S COPY</b> GS:                      DATE:		
		Black	PMS 185	PMS 116	Dieline	No Varnish					
<b>Mgr</b>	<b>J. Rustad</b>	<b>Rev</b>	<b>GA</b>	<b>PR</b>		<b>GS / ART REV (LCA)</b>		<b>GS / ART REV (FA)</b>			
<b>GS</b>	<b>K. Minard</b>	<b>2</b>				<b>CHANGES</b>		<b>CHANGES</b>		<b>CHANGES</b>	
<b>GA</b>	<b>S. Lewis</b>					<b>OK</b>		<b>OK</b>		<b>OK</b>	

NO COPY



NO COPY

DIN 00813557



Excenel veterinary Use Only

Excenel contains the sodium salt of ceftiofur which is a broad spectrum cephalosporin antibiotic active against Gram-negative aerobic bacilli and Gram-positive aerobic cocci...

Excenel should be administered by adding 20 mL of Sterile Water for Injection, 1 cc per mL (1:398 mg per mL Sodium hydroxide, 0.0% ca to pH

ACTION Ceftiofur sodium has demonstrated excellent in vitro activity against a wide range of Gram-negative aerobic bacilli and Gram-positive aerobic cocci... Indications Ceftiofur sodium is indicated for the treatment of bacterial infections in dogs and cats...

4g Excenel should be reconstituted by adding 80 mL of sterile water... Directions for Using Transfer Needle for Reconstitution: 1. Remove stopper over seal from Excenel container...

Caution: Reconstituted Excenel should be administered by intramuscular injection at a dosage of 2.0 mg of ceftiofur per kilogram of body weight (0.9 mg per pound) every 12 hours... Contraindications: In the event of a hypersensitivity reaction following administration of this drug, immediate appropriate therapy should be instituted.





ANIMAL SAFETY Results from a 5-day tolerance study in normal healthy adult dogs indicated that formulated ceftiofur sodium was well tolerated at over 15 times (150.0 mg/kg/day) the recommended dosage... ADVERSE EFFECTS: Local effects of muscle irritation were detected after the last dose in consecutive days at post treatment days 1, 2, 3 and 4.

Excenel is available in 1 g and 4 g vials. Although some leakage may occur with the frozen tap water until it is clear, ice-free solution is obtained and then use according to label. Do not freeze and reuse. Colour of cake may vary from off-white to tan and does not affect potency.

Form No.: 30217000.ind 1 2/26/14 1:00:08 AM

Table with columns: Project No., Actwork Number, Description, Country, Dimensions, Drawing No., SKU No., 1627013\*, EDITOR'S COPY, CHANGES, DATE.





version: 04/09/2018

Time Date: 30216800.pdf 1 2/26/14 10:05 AM

Project No.	Partwork Number	Description	Country
12622	30216800	<b>Excenel</b>	<b>Canada</b>
Item	SKU No.	Drawing No.	Item
Carton	1627013	DWG-008302-01	Carton
<b>Dimensions</b> 73 mm x 34 mm x 67 mm			
<b>Colors</b> Black PMS 185 PMS 116 DieLine No Varnish			
<b>Additional Info:</b> Rev GA Rev GA Rev GA			
<b>Mgr /</b> J. Rustad GS / K. Minard GA / S. Lewis			
<b>CHANGES</b> OK		<b>CHANGES</b> OK	
<b>DATE:</b> GS / ART / REV / (A)		<b>CHANGES</b> OK	



6 94254 00056 7

IMPRINT AREA  
READS THIS WAY

Excenel<sup>®</sup> poudre de céfiofur sodique pour solution

DIN 00813567

**EXCENEL<sup>MD</sup>**

**poudre de céfiofur sodique pour solution**  
Usage vétérinaire seulement

Stérile

antibiotique à large spectre

**pour bovins, vaches laitières en lactation, chevaux, porcs, agneaux et chiens**  
à diluer en gélule. Les porcs à l'élevage et les chiens ne doivent pas être allaités et les chiens en lactation doivent être allaités avec du lait. Les chiens en lactation doivent être allaités avec du lait ou de la crème. Ce médicament ne doit pas être administré avec des aliments. Les médicaments antimicrobiens, dont les antibiotiques, peuvent interférer avec l'efficacité de la vaccination. Les personnes immunodéprimées, les personnes âgées et les personnes atteintes de diabète peuvent être plus susceptibles de développer une infection.  
**See insert for complete directions for use, including dosage and administration.**  
Excenel<sup>MD</sup> est un médicament vétérinaire à usage oral enregistré sous le nom de marque de Zoetis or its licensors, used under license by Zoetis Canada Inc. Zoetis Canada Inc. Kirkland QC, H9H 4M7

Net 4 g

zoetis

This package contains:

• 1 Excenel

• 80 mL sterile diluent for Excenel

• 1 transfer needle

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

version:04/09/2018

DIN 00813567

**EXCENEL<sup>®</sup>**

**poudre de céfiofur sodique pour solution**  
Veterinary Use Only

Stérile

antibiotique à large spectre

**pour bovins, vaches laitières en lactation, chevaux, porcs, agneaux et chiens**  
à diluer en gélule. Les porcs à l'élevage et les chiens ne doivent pas être allaités et les chiens en lactation doivent être allaités avec du lait. Les chiens en lactation doivent être allaités avec du lait ou de la crème. Ce médicament ne doit pas être administré avec des aliments. Les médicaments antimicrobiens, dont les antibiotiques, peuvent interférer avec l'efficacité de la vaccination. Les personnes immunodéprimées, les personnes âgées et les personnes atteintes de diabète peuvent être plus susceptibles de développer une infection.  
**See insert for complete directions for use, including dosage and administration.**  
Excenel<sup>®</sup> est un médicament vétérinaire à usage oral enregistré sous le nom de marque de Zoetis or its licensors, used under license by Zoetis Canada Inc. Zoetis Canada Inc. Kirkland QC, H9H 4M7

Net 4 g

zoetis



6 94254 00056 7

This package contains:

• 1 Excenel

• 80 mL sterile diluent for Excenel

• 1 transfer needle

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

• 1 transfer syringe

Time/Date: 30212606.pdf 1 2/26/14 10:07 AM

Project No.	Antwork Number	Description	Country
12622	30212700	Excenel	Canada
Dimensions		SKU No.	Item
105 mm x 52 mm x 101 mm		Drawing No.	Carton
Colour: Black		DWG-008303-01	
PMS 185		No Varnish	
PMS 116		Dieline	
Rev		GS / ART REV (LCA)	CHANGES
GS	2	OK	OK
GA		OK	OK
Rev		GS / ART REV (FA)	CHANGES
J. Rustad		OK	OK
K. Minard		OK	OK
S. Lewis		OK	OK