


zoetis		Artwork Center : LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021662 10021658	New Material No. 40036812	Description LEAFLET Draxxin 100 20/50ml		
DIR No. / Version No. 513890		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FP037	Dimensions (mm) 780 x 144	Colors BLACK			
Additional Info. Transfer to OLOT		Datamatrix Check 40036812 40036812 40036812 40036812		Barcode Check NA	
GTIN NA		Date & Version No. 25/01/2022 - V2	Font Size 7 pt	Klep / Control Lines NA	



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021662	New Material No. 4 0 0 3 6 7 9 9	Description BOX Draxxin 100 20ml		
DIR No. / Version No. 513884		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FC337	Dimensions (mm) 38 x 38 x 70	Colors BLACK PMS 116 C PMS 471 C PMS 541 C UN-VARNISHED			
Additional Info. Transfer to Olot		Datamatrix Check 40036799 NA NA NA		Barcode Check 694254000598	
GTIN N A	Date & Version No. 03/02/2022-v3	Font Size 5 pt	Klep / Control Lines 1x4 => 16mm / 2x5 => 60mm		

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021658	New Material No. 4 0 0 3 6 8 0 0	Description BOX Draxxin 100 50ml		
DIR No. / Version No. 513887		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FC448	Dimensions (mm) 45 x 45 x 80	Colors			
Additional Info.		BLACK	PMS 116 C	PMS 471 C	PMS 541 C UN-VARNISHED
Transfer to Olot		Datamatrix Check		Barcode Check	
		40036800	NA	694254000611	
GTIN N A		Date & Version No. 24/01/2022 - V2	Font Size 6 pt	Klep / Control Lines 1x4 => 36 mm / 2x5 => 25 mm	

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative	Plant Name / Code
				Cécile Gavage	OLOT / ES03
QN / Project No.	FG Material No.	New Material No.	Description		
200011506	10021656	40036796	BOX Draxxin 100 100ml		
DIR No. / Version No.		Old Material No.	Countries		
513892		NA	CA		
TM / Dieline / Drawing	Dimensions (mm)	Colors			
FC551	53 x 53 x 101	BLACK	PMS 116 C	PMS 471 C	PMS 541 C UN-VARNISHED
Additional Info.		Datamatrix Check		Barcode Check	
Transfer to Olot		40036796	NA	694254000581	
		NA	NA		
GTIN		Date & Version No.	Font Size	Klep / Control Lines	
N A		21/01/2022 - V2	7pt	1x4 => 21mm / 2x5 => 42mm	

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021657	New Material No. 40036797	Description BOX Draxxin 100 250ml		
DIR No. / Version No. 513896		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FC661	Dimensions (mm) 69 x 69 x 149	Colors BLACK PMS 116 C PMS 471 C PMS 541 C UN-VARNISHED			
Additional Info. Transfer to Olot		Datamatrix Check 40036797 NA NA NA		Barcode Check 694254000604	
GTIN NA		Date & Version No. 24/01/2022 - V2	Font Size 8pt	Klep / Control Lines 1x4 => 102mm / 2x5 => 70mm	

zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021661	New Material No. 4 0 0 3 6 7 9 8	Description Box Draxxin 100 500ml		
DIR No. / Version No. 513899		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FC899	Dimensions (mm) 82x82x185	Colors BLACK PMS 116C PMS 471C PMS 541C UN-VARNISHED			
Additional Info. Transfer to Olot		Datamatrix Check 40036798 NA NA NA		Barcode Check 694254000628	
GTIN NA		Date & Version No. 24/01/2022 - V2	Font Size 10 pt	Klep / Control Lines 1x4 =>21mm / 2x5 =>25mm	

Zoetis version date: June 27, 2022

Ingrédient médicamenteux : 100 mg de tulathromycine, par mL

Indications : Bovins de boucherie et bovins laitiers non en lactation : Pour le traitement du complexe respiratoire bovin (CRB) et pour la réduction de la morbidité associée au CRB chez les veaux, au cours des 14 premiers jours en parc d'engraissement, lorsque administré au moment de leur arrivée. Pour le traitement de la kératoconjunctivite infectieuse bovine (KCIB). Pour le traitement du piétin (nécrobacillose interdigitée).

Veaux allaités, veaux laitiers et veaux destinés à la production de viande de veau : Pour le traitement du CRB.

Porcs : Pour le traitement des maladies respiratoires porcines (MRP) et pour le contrôle des MRP dans des lots d'animaux où les MRP ont été diagnostiqués.

Moutons : Pour le traitement du piétin.

Voir le dépliant pour la liste complète des bactéries sensibles à la tulathromycine chez les bovins, les porcs et les moutons.

Posologie et administration : Administrer dans le cou par injection sous-cutanée chez les bovins, et par injection intramusculaire chez les porcs et les moutons, une seule dose de 2,5 mg par kg de poids corporel. Ne pas injecter plus de 10 mL chez les bovins et 2,5 mL chez les porcs et les moutons, par site d'injection.

Entreposage : Entreposer entre 15 et 30 °C. Tout le contenu doit être utilisé 28 jours ou moins après la première utilisation.

VOIR LE DÉPLIANT POUR LE MODE D'EMPLOI COMPLET.

Zoetis^{MD} et Draxxin sont des marques déposées de Zoetis ou de ses concédants.

DIN 02285452



tulathromycin sterile injectable solution

Veterinary Use Only
antibiotic
for cattle, swine and sheep

WARNINGS: Treated animals must not be slaughtered for use as food for at least 44 days in cattle, 8 days in swine and 16 days in sheep, after the latest treatment with this drug. Do not use in dairy cows 20 months of age and older. To limit the development of antimicrobial resistance, **Draxxin** Injectable Solution should only be used (1) as an arrival treatment in feedlot calves when BRD has been diagnosed and calves are at high risk of developing BRD, and (2) for control of SRD outbreak when groups of pigs are at high risk of developing SRD.

Keep out of reach of children.

Note: To reduce the possibility of excess trim at the injection site it is recommended that swine not be slaughtered for up to 35 days after the latest treatment with this drug.

Net 500 mL

Medicinal Ingredient: Tulathromycin, 100 mg/mL

Indications: Beef and Non-lactating Dairy Cattle: For the treatment of bovine respiratory disease (BRD) and for the reduction of morbidity associated with BRD in feedlot calves during the first 14 days in the feedlot when administered at the time of arrival. For the treatment of infectious bovine keratoconjunctivitis (IBK). For the treatment of bovine foot rot (interdigital necrobacillosis).

Suckling Calves, Dairy Calves, and Veal Calves: For the treatment of BRD.

Swine: For the treatment of swine respiratory disease (SRD) and for the control of SRD in groups of pigs where SRD has been diagnosed.

Sheep: For the treatment of foot rot.

See package insert for the complete list of bacteria susceptible to tulathromycin in cattle, swine and sheep.

Dosage and Administration: Administer in the neck by subcutaneous injection in cattle and intramuscular injection in swine and sheep, a single dose of 2.5 mg/kg body weight. Do not inject more than 10 mL for cattle and 2.5 mL for swine and sheep per injection site.

Storage: Store between 15 and 30°C. Contents should be used within 28 days after the first dose is removed.

SEE PACKAGE INSERT FOR COMPLETE DIRECTIONS FOR USE.

Zoetis[®] and Draxxin are registered trademarks of Zoetis or its licensors.

Zoetis Canada Inc.
Kirkland QC H9H 4M7



6 94254 00062 8

zoetis

Net 500 mL

tulathromycin sterile injectable solution

Draxxin

solution stérile injectable de tulathromycine

DIN 02285452



solution stérile injectable de tulathromycine

Usage vétérinaire seulement
antibiotique
pour bovins, porcs et moutons

MISES EN GARDE : Les animaux traités ne doivent pas être abattus à des fins alimentaires dans un délai d'au moins 44 jours pour les bovins, 8 jours pour les porcs et 16 jours pour les moutons, après le dernier traitement avec ce médicament. Ne pas administrer aux vaches laitières âgées de 20 mois ou plus. Pour réduire le développement de la résistance aux antimicrobiens, la solution injectable **Draxxin** devrait être administrée seulement (1) comme traitement à l'arrivée chez les veaux lorsque le CRB a déjà été diagnostiqué et que les veaux sont à risque élevé pour le CRB, et (2) pour le contrôle d'une épidémie de MRP lorsque des lots de porcs sont à risque élevé pour les MRP.

Garder hors de la portée des enfants.

Remarque : Pour réduire le risque d'un parage excessif au site d'injection, ne pas abattre les porcs avant un délai minimum de 35 jours après le dernier traitement avec ce médicament.

Net 500 mL

zoetis

Lot

EXP.




40036798




Security Label area
12,7 x 12,7 mm
10,5" x 0,5"
Margin: 3 mm

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021662	New Material No. 4 0 0 3 6 8 0 4	Description LABEL Draxxin 100 20ml		
DIR No. / Version No. 513883		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FE067	Dimensions (mm) 25 x 90	Colors <div style="display: flex; gap: 5px;"> BLACK PMS 116 C PMS 471 C PMS 541 C </div>			
Additional Info. Transfer to Olot		Datamatrix Check 40036804 NA NA NA		Barcode Check NA	
GTIN N A		Date & Version No. 24/01/2022 - V2	Font Size 4,2 pt	Klep / Control Lines NA	

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021658	New Material No. 4 0 0 3 6 8 0 5		Description LABEL Draxxin 100 50ml	
DIR No. / Version No. 513886		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FE068	Dimensions (mm) 35 x 120	Colors BLACK PMS 116 C PMS 471 C PMS 541 C			
Additional Info. Transfer to Olot		Datamatrix Check 40036805 NA NA NA		Barcode Check NA	
GTIN N A		Date & Version No. 24/01/2022 - V2	Font Size 4,5 pt	Klep / Control Lines NA	

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021656	New Material No. 4 0 0 3 6 8 0 1	Description LABEL Draxxin 100 100ml		
DIR No. / Version No. 513891		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FE069	Dimensions (mm) 45 x 130	Colors BLACK PMS 116 C PMS 471 C PMS 541 C			
Additional Info. Transfer to Olot		Datamatrix Check 40036801 NA NA NA		Barcode Check NA	
GTIN NA		Date & Version No. 24/01/2022 - V2	Font Size 5 pt	Klep / Control Lines NA	

Zoetis version date: June 27, 2022



zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021657	New Material No. 4 0 0 3 6 8 0 2	Description LABEL Draxxin 100 250ml		
DIR No. / Version No. 513894		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FE012	Dimensions (mm) 120 x 60	Colors BLACK PMS 116 C PMS 471 C PMS 541 C			
Additional Info. Transfer to Olot		Datamatrix Check 40036802 NA NA NA		Barcode Check NA	
GTIN N A		Date & Version No. 24/01/2022 - V2	Font Size 6 pt	Klep / Control Lines NA	

Zoetis version date: June 27, 2022

138MM

66MM

Medicinal Ingredient: Tulathromycin, 100 mg/mL

Dosage and Administration: Administer in the neck, by subcutaneous injection in cattle and intramuscular injection in swine and sheep, a single dose of 2.5 mg/kg body weight. Do not inject more than 10 mL for cattle and 2.5 mL for swine and sheep per injection site.

Storage: Store between 15 and 30°C. Contents should be used within 28 days after the first dose is removed.

SEE PACKAGE INSERT FOR WARNINGS AND COMPLETE DIRECTIONS FOR USE.

Zoetis® and Draxxin are registered trademarks of Zoetis or its licensors.

Zoetis Canada Inc.
Kirkland QC. H9H 4M7



10021661-05-0

DIN 02285452



tulathromycin sterile injectable solution
solution stérile injectable de tulathromycine

Veterinary Use Only /
Usage vétérinaire seulement
antibiotic / antibiotique
for cattle, swine and sheep
pour bovins, porcs et moutons

Net 500 mL



Lot: 40036803
EXP: 20MM

VARIABLE DATA ZONE
20MM

zoetis		Artwork Center: LLN		AWC Representative Cécile Gavage	Plant Name / Code OLOT / ES03
QN / Project No. 200011506	FG Material No. 10021661	New Material No. 40036803	Description LABEL Draxxin 100 500ml		
DIR No. / Version No. 513898		Old Material No. NA	Countries CA		
TM / Dieline / Drawing FE025	Dimensions (mm) 138 x 66	Colors <div style="display: flex; gap: 5px;"> BLACK PMS 116C PMS 471 C PMS 541 C </div>			
Additional Info. Transfer to Olot		Datamatrix Check 40036803 NA NA NA		Barcode Check NA	
GTIN NA		Date & Version No. 25/01/2022 - V2	Font Size 6,5pt	Klep / Control Lines NA	